

# ICC EXHIBITION CENTRE TAPE POLICY

**ICC Exhibition Centre**

Created, September 2026

## 1. Purpose

Prevent damage to polished floor surfaces throughout ICC Exhibition Centre by using approved tape product.

## 2. Policy and Enforcement

Only ICC approved tapes can be used within the venue.

The venue reserves the right to charge the user for damages caused from unapproved tape.

Tenacious Tapes

PRO TAPES
A Shurtape Technologies, LLC Company

# 1. Application areas

| AREA | | APPROVED TAPE |
|---|---|---|
| Exhibition Centre Foyer – Smooth Grey Tile |  | KK915 – 48mm<br>Pro Gaff – 48mm<br>K185 – 48mm<br>K909 – 48mm |
| Exhibition Hall Floor – Concrete |  | KK915 – 24mm<br>Pro Gaff – 48mm<br>K185 – 48mm |
| Exhibition Timber Floor |  | KK915 – 48mm<br>Pro Gaff – 48mm<br>K909 – 48mm<br>K740 – 72mm |
| Exhibition Centre – Green Carpet |  | KK915 – 24mm<br>Pro Gaff – 48mm<br>K185 – 48mm<br>K909 – 48mm |
| Miscellaneous | • GT7 Electrical tape for holding cables<br>• TDFP6/12/20 FastFix peelable for fixing media<br>• K740 Heritage Tape for delicate surfaces | |

# 2. Glossary

| Tape | Image | Purpose of Use |
|---|---|---|
| Tenacious K160<br><br>Common Size: 48mm<br>Available widths:<br>6mm – 1300mm x 25m |  | Taping down of carpets, general purpose Gaffer, markup. Colour range available. |
| Tenacious K185<br><br>Common Size: 48mm<br>Available widths:<br>6mm – 1300mm x 25m |  | To be laid in high traffic walkways over cables or directly onto surface to alert people of potential hazard. |
| Tenacious K330<br><br>Common Size: 24mm<br>Available widths:<br>6mm – 1320mm x 25m |  | Exhibition grade double sided carpet tape for holding down carpets, clean remove. |
| Tenacious K740 Heritage<br><br>Common Size: 72mm<br>Available widths:<br>6mm – 1250mm x 50m |  | Floor protection for polished concrete. Goes down on the floor first before gaffer tape or double sided carpet tape is applied. |
| Tenacious K909<br><br>Common Size: 48mm<br>Available widths:<br>6mm – 1200mm x 40m |  | A semi matte tape for holding down cables.<br><br>72mm (Fat Matt) recommended for multiple cables. |
| Tenacious KK915<br><br>Common Size: 24mm<br>Available widths:<br>6mm – 1300mm x 25m |  | Exhibition grade double sided carpet tape, holding down of carpets, clean remove. |

| Tape | Image | Purpose of Use |
|---|---|---|
| Tenacious GT7<br><br>Common Size: 19mm<br>Available widths:<br>19mm x 20m |  | Taping of cables together. Colour range available. |
| Pro Gaff<br><br>Common Size: 48mm<br>Available widths:<br>48mm x 25m<br>48mm X 5m |  | Taping down of carpets, general purpose Gaffer, markup. Colour range available. |
| Tenacious FASTFIX<br><br>Common Size: 12mm<br>Available widths:<br>12mm x 20m |  | Peelable tape for fixing media. |